



Shop Order

Customer: Acadian  
 930 Center St  
 Lafayette, LA 70501

Dealer: SERVS Baton Rouge

Exp. Date: 01/15/2022  
 Quote No: 10267-0003  
 07/11/2022 16:04:49

Job/Order No: 22UF29268F

Page 1

PART NO	S	DESCRIPTION	QTY
A0-00-0113		Ambulance Built To Star Of Life KKK-A-1882-F Certification, Latest Revision Exceptions to be noted on final sticker.	1
00-10-0015		-- Vehicle Quantity (Vehicles)	1
00-20-0072		-- Per4Max Four-Point Seatbelts: Accept and Install Full Feature	1
00-91-0002		-- BODY NUMBER:	1
00-91-0005		-- MICKEY BODY DUE DATE :	1
00-91-0042		-- CAB SEAT BELT MOD:	1
00-91-0044		-- Total: 2 Seated Positions in Chassis Cab	1
00-91-0050		-- REAR SEAT BELT MOD:	1
00-91-0052		<b> -- Total: 3 Seated Positions &amp; One Floor Mount Secured Patient</b>	1
00-99-0180		-- Chassis Axle Digital Alignment	1
00-99-9030		-- Change Order Level: 0 - Zero - ORIGINAL VERSION	1
A1-AR-1F37	S	<b>2022 Ford, F-350 4 x 4 DRW Reg Cab, 169.3" WB, XLT Diesel MY CLOSED</b>	1
04-SU-172D		<b> -- Rear Suspension: 2020 +F-350 4x4 Liquid Spring,STD 21-1</b> *NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed* SUSP - DS100F4	1
01-TT-0208		<b> -- ""DETAIL"" Liquid Rear Suspension Decal Install</b> Prior to delivery, detail department is to install a Black Decal on the dash:	1
04-SU-0601		<b> -- Kneeling Feature: Enable Switch Located in CAB console</b>	1
04-SU-0610		<b> -- Kneeling Feature: Activated by TRAILING rear access door</b>	1
04-SU-0651		<b> -- Exhaust system termination point: OEM Location, Rt Rear</b>	1
04-SU-2022		<b> -- Liquid spring controller shipped loose with completed unit</b> Dealer to install with customer on arrival	1
B0-00-0895		Body, Module: Firstar T1 146" x 90" x 70" Interior HR - Ford F-350 Black Trimark	1
02-00-0002		<b> -- Body Build Information</b> Body Number; 13899 Account Manager: Jody Richardson	1

PART NO	S	DESCRIPTION	QTY
		<b>Chassis Type : 2022 Ford F350 4x4 DRW Reg Cab 169.3" WB XLT Diesel Mickey Body Due Date; 6-30-22</b>	
B0-00-1209		-- Bulkhead Talk-Through Window: Slide Behind ALS F-350	1
B0-00-1300		-- Body Compartments Aluminum DP, Std Vent Flaps, Gas Strut Checks	1
B0-01-0115		-- F-1 (LF); 61.625"H x 24.5"W x 17"D O2,Single Door, 2-Pt EB Black Trimark	1
B0-00-1320		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .080 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet > Compartment door panes, Aluminum diamond plate, std.	1
B0-00-1330		-- compartment floor thickness .125" Standard	1
B0-01-0303		-- F-3 Comp.(LR):78.812" H x 23" w x 7/17" D Single Door,2-pt Black Trimark door check hold-open installed forward of compartment, up high. Backboard storage on door, Stair Chair storage in compartment.	1
B0-00-1320		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .080 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet > Compartment door panes, Aluminum diamond plate, std.	1
B0-00-1330		-- compartment floor thickness .125" Standard	1
B0-00-1340		-- compartment floor pan down 4"	1
B0-01-0305		-- F-3 door hold open Cast short 4 -1/2" loop and socket.	1
B2-01-0100		-- Backboard Storage System On Door, Storage Belts On Door & Compartment 2" web strap on door along with storage bracket with seatbelt buckle 2" web strap in compartment at lower recess to secure stair chair in compartment.	1
B0-01-0405		-- Rear Entry Doors; 61.5" H x 46.75" w Black Trimark Handle, ADP Interior	1
B0-01-0504		Panel F-5 (RR); Spare Tire comp,29"H x 32"W x 13.5"D Floor Panned Down Black Trimark	1
B0-00-1320		-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .080 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet > Compartment door panes, Aluminum diamond plate, std.	1
B0-00-1345		-- compartment floor pan down for spare tire	1
B0-01-0520		-- Spare Tire Installed in F-5. Jack and Tire Tools ship loose	1
B0-01-0603		-- Curbside Entry Door (CSE): 73.8"High x 31"Wide -Black Trimark	1
B0-01-06W4		-- Step Well, CURBSIDE Entry Door, 1-Step Diamond Plate	1
B0-01-0708		-- F-7 Compt (RF); 65." H x 18.375" W x 18.5" below floor ALS I/O Black Trimark Single door, 2 pt latch Eberhard Black Handle	1
<b>B3-00-0007</b>		<b>Exterior Compartments Lighting Optional LED Surface Mount On Ceiling F1,F3,F5</b> LITE-156I (3) Chrome with LED	<b>1</b>
B4-01-0106		T1 Exterior Polished ADP Body Protection Package, Rubber Fenders AEV -F-350 AEV mudflaps	1

PART NO	S	DESCRIPTION	QTY
01-FM-3WH1		-- Wheel Finish: Polished SS Wheel Simulators (F-350)	1
B4-01-0130		-- No Pass-Thru cab mounted wind deflector required	1
<b>B4-02-0010</b>		<b> -- T1 Diesel CPI Fuel Fill &amp; Urea Fill Open Housings -F-350</b>	<b>1</b>
B4-04-0102		-- T-1 Body Skirt Rails Polished ADP, Box Style purchase with body	1
B4-04-0180		-- Corner Caps and Front Stone Guard, 17.3" Aluminum Diamond Plate	1
B4-04-0205		-- Rear Kickplate ADP, Slide-Under Rear Bumper With Flip-Up Center T1 Rear Bumper Heavy Duty, Aluminum with Diamond plate Pontoons, Firstar Design 2" x 7" Grip strut, Center Flip-up standard Rear Kickplate Polished aluminum diamond plate recessed tag area tag light kinnequip	1
<b>04-EA-1460</b>		<b>Running Boards: DP F-Series Modular - 2 Door 2017+</b>	<b>1</b>
<b>04-EA-1120</b>		<b> -- Mud Flaps Front: NONE</b>	<b>1</b>
<b>04-EA-1132</b>		<b> -- Mud Flaps Rear: Modular, Rubber AEV LOGO</b>	<b>1</b>
<b>Insulation HVAC</b>			
B8-00-0051		-- Module Interior Spray Foam Walls And Ceiling 1-inch- Thick R-7	1
B8-00-0055		-- Module Interior Insulation Reflectix- Walls and Floor R-7	1
B8-00-0060		-- Floor Sound Deadening: Above Vapor Barrier	1
B9-00-0012		-- Patient Ventilation System:3 Inch Power Intake, 3 Inch Power Exhaust	1
B9-00-0102		HVAC SYSTEM:Pro-Air Non-Ducted Horizontal F-Series Over ALS	1
05-HA-13X6		-- Intermotive Module BCVC502A :Installed 2020 +	1
B9-00-0105		-- Painted Steel Return Air/ Output HVAC Cover White	1
B9-00-0400		-- AC Control: Heat Or AC And Fan Speed Selector Switches	1
C0-10-1005		F-Relay Electrical System-LED Rocker Switches Front And Rear	1
C0-10-1020		-- Back-up Alarm Standard 102DB; Cut-off Switch None	1
C0-11-1005		-- T1-F350 2 OEM Battery System Std, Conversion Disconnect Cut-Off	1
C0-11-2000		-- Throttle control System	1
<b>C0-12-0105</b>		<b> -- Power Locks, Module Entry Doors Installed Only, Tie To OEM F-350</b> Power Locks installed on Rear Entry, Side entry doors only.	<b>1</b>
<b>C0-12-0125</b>		<b> -- Door Unlock Switch, Momentary, Exterior, hidden</b> NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	<b>1</b>
<b>06-EC-0802</b>		<b> -- Location: Front Grille/Bumper Area</b>	<b>1</b>
C0-15-0001		-- Ignition Secure Idle System not required/Requested	1
<b>11-ZZ-090D</b>		<b> -- CAAS GVS 2.0 Exception C.8.5.5 Lack of Anti-Theft device for Idling</b> By declining to select an appropriate anti-theft device for this chassis, The Agency is non-compliant to CAAS GVS 2.0 for the likely event of required idling of the chassis while unattended. This applies only to agencies selecting CAAS Compliance. CAAS GVS 2.0 requires; The chassis shall be equipped with an anti-theft device to prevent the vehicle from being driven by an unauthorized operator."	<b>1</b>
<b>C1-10-0037</b>		<b> -- Inverter : Vanner LIFESINE 1100 Pure Sine Wave, w 55watt 3 stage charger</b> >.Limited availability, April/ May 2021	<b>1</b>
<b>06-EC-03AS</b>		<b> -- Portable Equip Charging Circuits: Included in Inverter</b>	<b>1</b>
<b>06-EC-03AA</b>		<b> -- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A</b>	<b>1</b>

PART NO	S	DESCRIPTION	QTY
06-EC-03C9		<i>/-- Portable Equip Pwr Source: Ignition and/or Shoreline</i>	1
06-IG-03A0		<i>/-- Battery Charger/Conditioner: 55A - Built into Inverter</i>	1
06-IG-0003		<i>/-- Built-in Battery Charger: Enable - Wire to Batteries</i>	1
06-IG-04L3		<i>/-- Inverter Location: Under A/A</i>	1
<b>Communication Group T1-F</b>			
C1-11-0010		-- Radio Power #1, 30A To Behind Passenger Seat	1
C1-11-0020		-- Radio Power #2, 30A To Behind Action Area	1
<b>C1-11-0025</b>	<b>S</b>	<b><i>/-- Radio Power #3, 30A FRONT CONSOLE</i></b>	1
C1-11-0100		-- Antennae Coax #1 Pre-Wire Roof Port 1 To Behind Passenger Seat	1
C1-11-0107		-- Antennae Coax #2 Pre-Wire Roof Port 2 To Action Area std	1
<b>C1-11-0110</b>	<b>S</b>	<b><i>/-- Coax Cable Only RG-58U #3 Roof Port 3 To FRONT CONSOLE</i></b>	1
C1-21-0010		-- Backup Fixed OEM Camera Displays into F Series OEM radio	1
C8-00-0050		-- Siren: Whelen, 295HFS2, F-Series	1
C8-00-1030		-- Siren Speakers:CPI: SA4327 with Chrome AEV laser cut cover, flush F series	1
<b>Internal 12-Volt DC Power</b>			
C4-00-0100		-- 12V Outlet, DUAL USB Fast 4.8A,. 2.4 A Per Slot Style At Patient Area.	1
C4-00-0150		-- 12V Outlet, No 1: Single Outlet- Batt Switch Hot At Action Area	1
C4-00-05L0		-- 12-volt mounts in Action Area Board	1
C4-00-0155		-- 12V Outlet, No 2: Single Outlet- Telemetry Area	1
<b>C4-00-0160</b>	<b>S</b>	<b><i>/-- 12 Volt Pre-wire, Conversion hot 15amp IN TOP OF RF ALS</i></b>	1
<b>125 Volts AC SHORE LINE AND OUTLETS</b>			
<b>C4-01-0200</b>		<b><i>/-- Shore Line Inlet: 20A Super Auto Eject, Yellow Cover,</i></b>	1
C4-02-0010		-- 125 VAC Outlet, No 1: 15A, Hospital Grade, Ivory AEV-125VAC Engraved telemetry area.	1
C4-02-0015		-- 125 VAC Outlet, No 2: 15A, Hospital Grade, Ivory RF ALS AEV-125VAC Engraved	1
<b>C4-02-0022</b>	<b>S</b>	<b><i>/-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY - AEV-125VAC Engraved</i></b>	1
<b>LOCATION - FRONT CONSOLE</b>			
<b>Interior Lighting</b>			
C6-00-0010		Dome Lts, LED Edge Series White (3) Streetside, (2) Curbside	1
C6-00-0200		Action Area Light: 12V, LED, Surface Mount	1
C6-00-0300		Stepwell Entrance Light 3" Halogen	1
<b>C7-00-0010</b>		<b><i>DOT And Marker Lights LED Std Pkg 5 Amber Front, 5 Red Rear, 2 Side Marker</i></b>	1
C7-00-0050		Tail Lights: Bargman Vertical LED Stack With Chrome Bezel	1
<b>Exterior Warning</b>			
C8-05-0100		Lightbar Alternative; 2 Lights On Front Of Module Body	1
C8-12-0554		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-12-0555		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-10-0002		Whelen Single Row LED Warning Light System -	1
C8-10-0050		-- Flasher; Electronic LED FM3-01	1
05-FS-1160		-- FM3-01 Flash pattern Alternate Flash	1
C8-10-0100		-- Grille Lights Whelen	1
C8-11-0010		-- Lights: (2) Whelen TIRLIN3, RED LED, Chrome Hsg	1
C8-10-0120		-- Front Intersection Whelen	1
C8-11-0010		-- Lights: (2) Whelen TIRLIN3, RED LED, Chrome Hsg	1
C8-10-0140		-- Front Of Module Whelen Single Row	1
C8-12-0500		-- Whelen 900 Single Row Clear LED/ Clear Lens, NP w chrome flange	1
C8-12-0554		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-12-0555		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-10-0160		-- Sides Of Module Whelen Single Row	1

PART NO	S	DESCRIPTION	QTY
C8-12-0554		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	2
C8-12-0555		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	2
C8-10-0180		-- Rear Of Module Whelen Single Row	1
C8-12-0554		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-12-0555		-- Whelen 900 Single Row Red LED/ Clear Lens NP w chrome flange	1
C8-12-0803		-- Light: Whelen 700, Super Amber LED/Clear Lens, Non-P w chrome flange	1
C9-01-0100		Scene/ Flood lights Whelen Halogen	1
C9-01-0110		-- Left Scene (2) 900 Halogen 8-32 With Chrome Flange, Switched	1
C9-01-0210		-- Right Scene (2) 900 Halogen 8-32 with Chrome Flange, Auto-On & Switched	1
C9-01-0310		-- Rear Load (2) 700 Halogen 8-32 With Chrome flange, Auto-On & Switched	1
<b>Interior Stowage</b>			
D0-00-0003		Interior Colors T1-146	1
D0-00-0052		-- Cabinets: Fiberglass Pod Interiors T1 Full wall 146 Firstar,	1
D0-00-0080		-- Type 1 Front Console, std	1
<b>D0-00-008D</b>		<b> -- Add-on Console: Type 1</b>	<b>1</b>
<b>07-RR-02A0</b>		<b> -- Drink Holder: (2) In Add-on Console, Big Gulp Size</b>	<b>2</b>
<b>07-RR-02A5</b>		<b> -- Drink Holder Location: Front</b>	<b>2</b>
<b>07-RR-02F0</b>		<b> -- Note Book Slot: Single - Full width by 6" wide</b>	<b>1</b>
<b>07-RR-02F3</b>		<b> -- Double removable Lexan Divider(s)</b>	<b>1</b>
<b>07-RR-2301</b>		<b> -- Customer Radio: Space for Customer installed Radio Heads</b>	<b>1</b>
<b>07-RR-2354</b>		<b> -- Glove Storage: (3) Glove Box Storage Across Rear of add on console</b>	<b>1</b>
<b>07-RR-24A0</b>		<b> -- Console Finish: Black, Textured "Easy Grip"</b>	<b>1</b>
<b>07-ZZ-ZZZZ</b>		<b> --</b>	<b>1</b>
<b>D0-00-0096</b>		<b> -- Lexan Clear Secure Latch</b>	<b>1</b>
D0-00-0100		-- Floor Substrate; Plywood- Weather resistant	1
D0-00-0132		-- Flooring: Loncoin II Flecks- #150, Onyx (Black), With roll-up	1
D0-00-0190		-- Stainless Steel Floor Riser Kickplates, Firstar STD	1
D0-00-0200		-- Curbside Stepwell Diamond Plate Threshold, Rear Stainless Steel Threshold	1
<b>D0-00-0405</b>		<b> -- Upholstery Color; Black -Pads, Trim,</b>	<b>1</b>
		<b>Attendant Seat EVS AEV Comfort 1882 6-Deg Per4Max Belt</b>	
		Seat angle does not support complex cot mounts like Stryker Power load systems for length to end of mod)	
<b>D0-04-1023</b>		<b> -- Att. Seat: AEV Comfort 1882-6 Deg Child Safety Seat Black ,Per4Max Black</b>	<b>1</b>
<b>D0-05-0201</b>		<b> -- BASE: EVS, Metal, Uncovered Base W Door With Latch, Black Powder Coated.</b>	<b>1</b>
D0-10-0010		Interior Cabinet Mod -146	1
D0-10-0100		-- Firstar 146 Wall Cabinet; Six Storage Sections With Setback Center	1
D0-10-0107		-- Cabinet A Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-0109		-- Cabinet A-1 Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-0110		-- Cabinet B Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-0111		-- Cabinet C Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-0112		-- Cabinet E-1 Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-0114		-- Cabinet E-2 Std; Secure Latch Window LC-1 20 LBS rated	1
D0-10-1117		-- Cabinet D Drug Cabinet, Solid Black Door, Locking Lever Latch Optional no aluminum trim on door edge	1
D0-10-1400		-- Action Area Wall, With Contoured Action Area Pan, 3/4" Raised Lip	1
D0-10-1402		-- Action area pre-cut wall Black Powder-Coated Aluminum Layout specific to std items FSTR-AA-BOARD	1
D0-10-1403		-- AA White ABS bezel, Sharps and Trash with Latching Lid std	1
D0-10-1500		-- Streetside Midway Action Tray With 3/4" Lip	1
D0-11-0010		-- Triple molded Glovebox Storage With Drop-Down Lexan Window, Round Latch	1

PART NO	S	DESCRIPTION	QTY
D0-11-0020		-- Recessed Spare Oxygen Bottle Storage- Horizontal Streetside	1
D0-12-0050		-- Bulkhead Upper Electrical Cabinet, Top Hinged Overlay Door	1
D0-12-0060		-- Firstar Logo Electrical Cabinet Door, 2 Non-locking Lever Latches	1
D0-12-0065		-- Bulkhead Cabinet H-1 Std; Secure Latch Window LC-1 20 LBS rated	1
D0-12-0067		-- Bulkhead Storage Cubby Transverse H-2 Std; Open Storage	1
D0-12-0080		Firstar 146 Right Front ALS Stac, Upper HVAC, Lower Open With 3 Adj Shelves	1
D0-12-0091		-- Right Front Upper AC Cover One-Piece with Radius Corner White	1
<b>D0-12-0118</b>		<b> -- EZ- Reach Double Doors Full Ht ILOS</b> Color of Polycarbonate determined by Lexan color choice.	<b>1</b>
<b>07-DR-M900</b>		<b> -- Secure Latch handle is NON-LOCKING</b>	<b>1</b>
<b>07-DR-M905</b>		<b> -- No cable stop requested for doors</b>	<b>1</b>
<b>07-DR-OR05</b>		<b> -- Hinge Orientation: (1) RIGHT and (1) LEFT</b>	<b>1</b>
<b>11-X0-0031</b>		<b> -- Stowage rating label - Secure 1-Hand hinged door 40 pounds applied each</b>	<b>1</b>
D0-13-0005		Aisle Width Streetside cabinets to squad bench 45" STD	1
D0-14-0000		Firstar 146 Squad Bench Seating, One Lid, 2 Person Seating A single squad lid with release latch	1
D0-14-0010		-- Squad Bench Single Lid HDPE Black, No Trim, Tru-Torque Hinges Installed	1
D0-14-0150		-- Squad Area Black Restraint Net, Removable At Head End	1
D0-18-0010		-- Squad Area, Per4Max Black Belts 2 person, Non-Circuited, Above Bench	1
D0-18-0015		-- Firstar Squad Bench Secondary Patient Restraints, (3) locations Install secondary restraints on face of squad bench and retractors at back of bench BELT-26095 3 9 inch on face BELT-2611S retractors at back of bench.	1
<b>Module Interior Hardware</b>			
<b>F0-10-0055</b>		<b>Cot Mount Stryker Floor plate for Power Load PREP ONLY, &lt;&lt; Non-Compliant&gt;&gt;</b> 12Volt wire coiled under the floor. Installation of Floor Plate Kit only.	<b>1</b>
<b>F0-10-0207</b>		<b> -- Mass casulaty kit not requested</b>	<b>1</b>
<b>F0-10-0300</b>		<b> -- Cot Mount installed Left of Center</b>	<b>1</b>
F1-00-0010		Module Body Tinted Fixed windows, Side-Entry And Rear Entry Doors	1
F1-00-0030		Module Entry Door Grab Handle Package, 12" Straight Rear, 18" Side, Gray	1
F1-00-0040		-- Ceiling Curb-Side Grab Rail, Surface Mount Gray 72" x 1.25" 3pt	1
F3-00-0010		OXYGEN / AIR / VACUUM / IV Hangers	1
F3-00-0102		-- Rack No 1: Adjustable O2 Sliding Alum M- H -4 Green w 4 Ratchet straps	1
F3-00-0200		-- Regulator, Oxygen, Fixed Output @ 50 Psi +/-5 , CGA 540, W/Wrench	1
F3-00-1000		-- Oxygen Outlet No 1: Ohmeda/Ohio Diamond - Action Area	1
F3-00-1050		-- Oxygen Outlet No 2: Ohmeda/Ohio Diamond - Action Area	1
<b>F3-00-1085</b>		<b> -- Oxygen Outlet No 3: Ohmeda/Ohio Diamond Style Curbside Forward</b> Squad wall forward near net	<b>1</b>
F3-00-3000		-- SSCOR Suction System, Canister, Pump Under Action Area	1
F3-00-3010		-- SSCOR Canister Recess Mounted Below Action Area	1
F4-00-0010		-- IV Fluids Hangers, Perko Hooks w Velcro, One streetside, One Curbside Chest	1
<b>Paint And Graphics</b>			
G0-00-0010		Standard Paint Process & Warranty	1
G0-00-0100		-- Undercoating : Per QVM Guidelines, STD	1

PART NO	S	DESCRIPTION	QTY
G0-00-0150		-- Reflective Tape: On Painted Edges Of Entrance Exterior Door Frame	1
G0-00-0200		-- Primary (Over All) Color White (YZ)	1
G0-00-1000		-- Special Graphics/ Lettering None	1
G0-PT-DRIP		-- Drip Rails: Bright Aluminum, De-Burred And Rounded Corners	1
G0-PW-0010		-- Reflector Pkg: Body - 2 Ea, Side Fr Amber, Side Rear Red, Rear Red	1
<b>DETAIL - SHIP LOOSE ITEMS</b>			
12-PT-DRIZ		-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information Include a drip rail over the C/S Entry Door.	1
13-00-0200		-- *Check front of W/O under chassis section for Add' items*	1
13-10-XM00		-- Owner's Manual USB Flash Drive ship loose	1
13-10-XMA0		-- Printed Owner's Manual Not Required	1
34-XX-0001		-- Primary Cot: NONE included	1
34-XX-0002		-- Secondary Stretcher: NONE included	1
H0-00-00F1		Fire Extinguisher 5 Lb Dry ABC, With Bracket, Ship loose Qty 2	1
11-ZZ-0932		-- Exception to C.16.1 1 Required Two fire extinguishers installed by FSAM Fire extinguishers were not installed iwth one in the driver's cab, one in the patient compartment at the time of departure from the final stage Ambulance Manufacturer.	1
H0-KK-KDEC		Decals: KKK / DOT Pkg, Blue/White reflective - Ship Loose	1